



ImagePerfect™

Portfolio Overview



Durability (unprinted)	Film		Adhesive			FR	Ink Compatibility			Dimension Available widths (cm)
	Thickness	Finish	Description	Color	Features		(Eco)-Sol	UV	Latex	

Automotive Print Films

IP 2578PA 2D Wrap, white	8 years	50µ	Gloss	Perm	Grey	PA	B-s1, d0	✓	✓	✓	137.2 / 160
IP 2578PASG 2D Wrap, SuperGlide	8 years	50µ	Gloss	Perm	Grey	PA / SG	B-s1, d0	✓	✓	✓	137.2 / 160

Automotive Laminates

IP 2810-105 2D Wrap Laminate	8 years	50µ	Gloss	Perm	Clear		B-s1, d0				137.2 / 160
IP 2810-205 2D Wrap Laminate	8 years	50µ	Matt	Perm	Clear		B-s1, d0				137.2 / 160

Long-Term Polymeric Print Films

IP 2503 Pro Polymeric, white	8 years	70µ	Gloss	Perm	Clear		B-s1, d0	✓	✓	✓	105 / 122 / 137.2 / 160
IP 2503PA Pro Polymeric, white	8 years	70µ	Gloss	Perm	Clear	PA	B-s1, d0	✓	✓	✓	105 / 122 / 137.2 / 160
IP 2504 Pro Polymeric, clear	8 years	70µ	Gloss	Perm	Clear		B-s1, d0	✓	✓	✓	105 / 122 / 137.2 / 160
IP 2504PA Pro Polymeric, clear	8 years	70µ	Gloss	Perm	Clear	PA	B-s1, d0	✓	✓	✓	137.2
IP 2505P Plus Polymeric, white	7 years	100µ	Matt	Perm	Grey		B1	✓	✓	✓	137.2 / 160
IP 2505PA Plus Polymeric, white	7 years	100µ	Matt	Perm	Grey	PA	B1	✓	✓	✓	137.2 / 160
IP 2506 Pro Polymeric, white	8 years	70µ	Gloss	Perm	Grey		B-s1, d0	✓	✓	✓	105 / 122 / 137.2 / 160
IP 2506PA Pro Polymeric, white	8 years	70µ	Gloss	Perm	Grey	PA	B-s1, d0	✓	✓	✓	105 / 122 / 137.2 / 160
IP 2506RPA Pro Polymeric, white	8 years	70µ	Gloss	Rem	Grey	PA	B-s1, d0	✓	✓	✓	137.2 / 160
IP 2506M Pro Polymeric, white	8 years	70µ	Matt	Perm	Grey		B-s1, d0	✓	✓	✓	137.2 / 160
IP 2506MPA Pro Polymeric, white	8 years	70µ	Matt	Perm	Grey	PA	B-s1, d0	✓	✓	✓	137.2 / 160

Long-Term Polymeric Laminates

IP 2810-101 Polymeric Laminate	8 years	70µ	Gloss	Perm	Clear		B-s1, d0				105 / 122 / 137.2 / 160
IP 2810-200 Polymeric Laminate	8 years	75µ	Matt	Perm	Clear		B-s1, d0				105 / 122 / 137.2 / 160
IP 2810-300 Polymeric Laminate	8 years	70µ	Satin	Perm	Clear		B-s1, d0				137.2 / 160

Performance Polymeric Print Films

IP 2553 Polymeric, white	7 years	70µ	Gloss	Perm	Clear		B-s1, d0	✓	✓	✓	105 / 137.2 / 160
IP 2553PA Polymeric, white	7 years	70µ	Gloss	Perm	Clear	PA	B-s1, d0	✓	✓	✓	105 / 137.2 / 160
IP 2554 Polymeric, clear	7 years	70µ	Gloss	Perm	Clear		B-s1, d0	✓	✓	✓	105 / 137.2 / 160
IP 2556 Polymeric, white	7 years	70µ	Gloss	Perm	Grey		B-s1, d0	✓	✓	✓	105 / 137.2 / 160
IP 2556PA Polymeric, white	7 years	70µ	Gloss	Perm	Grey	PA	B-s1, d0	✓	✓	✓	105 / 137.2 / 160

Performance Polymeric Laminates

IP 2810-103 Polymeric Laminate	7 years	70µ	Gloss	Perm	Clear		B-s1, d0				105 / 137.2 / 160
IP 2810-202 Polymeric Laminate	7 years	70µ	Matt	Perm	Clear		B-s1, d0				105 / 137.2 / 160

Monomeric Print Films

IP 2511 Monomeric, white	3 years	80µ	Gloss	Perm	Grey		B1	✓	✓	✓*	105 / 137.2 / 160
IP 2512 Monomeric, white	3 years	80µ	Gloss	Rem	Grey		B1	✓	✓	✓*	105 / 137.2 / 160
IP 2513 Monomeric, white	3 years	80µ	Matt	Rem	Grey		B1	✓	✓	✓*	105 / 137.2 / 160
IP 2524 Monomeric, white	3 years	100µ	Gloss	Perm	Grey		B1	✓	✓	✓*	105 / 137.2 / 160
IP 2524PA Monomeric, white	3 years	100µ	Gloss	Perm	Grey	PA	B1	✓	✓	✓*	137.2
IP 2525 Monomeric, white	3 years	100µ	Gloss	Rem	Grey		B1	✓	✓	✓*	105 / 137.2 / 160
IP 2525PA Monomeric, white	3 years	100µ	Gloss	Rem	Grey	PA	B1	✓	✓	✓*	137.2
IP 2526 Monomeric, white	3 years	100µ	Matt	Rem	Grey		B1	✓	✓	✓*	105 / 137.2 / 160
IP 2526PA Monomeric, white	3 years	100µ	Matt	Rem	Grey	PA	B1	✓	✓	✓*	137.2 / 160
IP 2527 Monomeric, clear	3 years	100µ	Gloss	Perm	Clear		B1	✓	✓	✓*	137.2 / 160
IP 2528 Monomeric, white	3 years	80µ	Gloss	Perm	Clear		B1	✓	✓	✓*	105 / 137.2 / 160
IP 2529 Monomeric, white	3 years	80µ	Gloss	Rem	Clear		B1	✓	✓	✓*	137.2 / 160
IP 2530 Monomeric, white	3 years	80µ	Matt	Rem	Clear		B1	✓	✓	✓*	137.2 / 160
IP 2531 Monomeric, white	3 years	80µ	Matt	Perm	Clear		B1	✓	✓	✓*	137.2 / 160
IP 2586 Monomeric, white	3 years	100µ	Gloss	Perm	Clear		B-s1, d0	✓	✓	✓*	105 / 137.2 / 160
IP 2588 Monomeric, white	3 years	100µ	Matt	Perm	Clear		B-s1, d0	✓	✓	✓*	105 / 137.2 / 160
IP 2591 Monomeric, white	3 years	100µ	Gloss	Perm	Grey		B-s1, d0	✓	✓	✓*	105 / 137.2 / 160

Monomeric Laminates

IP 2820-101 Monomeric Laminate	3 years	80µ	Gloss	Perm	Clear		B1				105 / 137.2 / 160
IP 2820-200 Monomeric Laminate	3 years	80µ	Matt	Perm	Clear		B1				105 / 137.2 / 160

Floor Application Print Films

IP 2521 Indoor floor graphics, white	6 mths	100µ	Gloss	Rem	Grey		B1	✓	✓	✓*	122
IP 2539 Outdoor floor Graphics, white	6 mths	80µ	Gloss	Rem	Clear			✓	✓	✓	137.2
IP 2555 StreetApp, white (R12)	1 year	150µ	Matt	Semi-Perm	Clear		B1	✓	✓	✓	122
IP 2585 FloorApp, white (R9)	6 mths	150µ	Matt	Semi-Perm	Clear		B1	✓	✓	✓	137.2
IP 2595R9 FloorMinder, white (R9)	3 mths	200µ	Matt	Semi-Perm	Grey		B-s1, d0	✓	✓	✓	137.2
IP 2595R9C CarpetApp, white (R9)	3 mths	200µ	Matt	Semi-Perm	Clear		B-s1, d0	✓	✓	✓	137.2

Floor Application Laminates

IP 2830-201 Indoor floor graphics(R10)	6 mths	200µ	Matt	Perm	Clear		B1				122
IP 2830-203 Outdoor floor Graphic(R9)	6 mths	125µ	Matt	Perm	Clear						137.2

Glass Application Print Films

IP 2516 Polymeric, translucent, white	7 years	80µ	Matt	Perm	Clear		B-s1, d0	✓	✓	✓	137.2 / 160
IP 2516PA Polymeric, translucent, white	7 years	80µ	Matt	Perm	Clear	PA	B-s1, d0	✓	✓	✓	137.2 / 160
IP 2557 Clear Graphics Film	8 years	50µ	Gloss	Semi-Perm	UltraClear		B1	✓	✓	✓	137.2 / 152.4
IP 2593 UltraClear Window Film	5 years	80µ	Gloss	Semi-Perm	UltraClear		B-s1, d0	✓	✓	✓	137.2 / 152.4
IP 2594 Blockout, white	5 years	160µ	Gloss	Perm	Clear		B-s1, d0	✓	✓	✓	137.2
IP 2594PA Blockout, white	5 years	160µ	Gloss	Perm	Clear	PA	B-s1, d0	✓	✓	✓	137.2
IP 7801 Opal Frost	3 years	80µ	Matt	Perm	Clear		B-s1, d0	✓	✓	✓	122 / 160
IP 7801PA Opal Frost	3 years	80µ	Matt	Perm	Clear	PA	B-s1, d0	✓	✓	✓	122 / 160
IP 7802 Satin Crystal	8 years	75µ	Matt	Perm	Clear		B-s1, d0	✓	✓	✓	122 / 137.2 / 160
IP 7802PA Satin Crystal	8 years	75µ	Matt	Perm	Clear	PA	B-s1, d0	✓	✓	✓	122 / 137.2 / 160
IP 7803 Satin Crystal HD	8 years	80µ	Matt	Perm	Clear		B-s1, d0	✓	✓	✓	122 / 137.2 / 160
IP 7803PA Satin Crystal HD	8 years	80µ	Matt	Perm	Clear	PA	B-s1, d0	✓	✓	✓	122 / 137.2 / 160
IP 7804 Light Silver Frost	8 years	80µ	Matt	Perm	Clear		B-s1, d0	✓	✓	✓	122 / 137.2 / 160
IP 7804PA Light Silver Frost	8 years	80µ	Matt	Perm	Clear	PA	B-s1, d0	✓	✓	✓	122 / 137.2 / 160
IP 7805 Silver Frost	8 years	80µ	Matt	Perm	Clear		B-s1, d0	✓	✓	✓	122 / 160
IP 7805PA Silver Frost	8 years	80µ	Matt	Perm	Clear	PA	B-s1, d0	✓	✓	✓	122 / 160
IP 7806 Haze	5 years	80µ	Matt	Perm	Clear			✓	✓	✓	137.2
IP 7806PA Haze PA	5 years	80µ	Matt	Perm	Clear	PA		✓	✓	✓	137.2

Durability (unprinted)	Film		Adhesive				FR	Ink Compatibility			Dimension Available widths (cm)
	Thickness	Finish	Description	Color	Features	(Eco)-Sol		UV	Latex		

HighTack Print Films

IP 2503LSE Pro Polymeric, white	8 years	70µ	Gloss	Perm	Clear	LSE	B-s1, d0	✓	✓	✓	137.2 / 160
IP 2504LSE Pro Polymeric, clear	8 years	70µ	Gloss	Perm	Clear	LSE	B-s1, d0	✓	✓	✓	137.2
IP 2558 MultiGrip, white	7 years	90µ	Satin	Perm	Clear	HT	B1	✓	✓	✓	137.2 / 160
IP 2560 SuperGrip white	3 years	80µ	Gloss	Perm	Clear	HT	B1	✓	✓	✓*	137.2

Ultra Removable and Repositionable Print Films

IP 2534PA ETU Film Premium, white	7 years	150µ	Semi-Matt	Rem	Clear	ETU	B1	✓	✓	✓	137.2
IP 2535PA ETU Film Premium, clear	7 years	150µ	Semi-Matt	Rem	Clear	ETU	B1	✓	✓	✓	137.2
IP 2551 ETU Film, white	3 years	170µ	Gloss	Rem	Clear	ETU	B1	✓	✓	✓*	137.2
IP 2552 ETU Film, clear	3 years	170µ	Gloss	Rem	Clear	ETU	B1	✓	✓	✓*	137.2 / 152.4
IP 2561PA ETU Film, white	3 years	100µ	Matt	Rem	Clear	ETU	B1	✓	✓	✓*	137.2
IP 2562PA ETU Film, clear	3 years	100µ	Gloss	Rem	Clear	ETU	B1	✓	✓	✓*	137.2

PVC-free Print Films

IP 2522 Eco Digital, white	2 years	95µ	Gloss	Semi-Perm	Clear		B1	✓	✓	✓	137.2
IP EG 95-501 EverGreen, white	5 years	60µ	Gloss	Perm	Clear		B-s1, d0		✓	✓	137.2
IP EG 95-501 PA EverGreen, white	5 years	60µ	Gloss	Perm	Clear	PA	B-s1, d0		✓	✓	137.2
IP EG 95-501 HT EverGreen, white	5 years	60µ	Gloss	Perm	Clear	HT	B-s1, d0		✓	✓	137.2
IP EG 95-501 HT PA EverGreen, white	5 years	60µ	Gloss	Perm	Clear	HT / PA	B-s1, d0		✓	✓	137.2
IP EG 95-501M EverGreen, white	5 years	60µ	Matt	Perm	Clear		B-s1, d0		✓	✓	137.2
IP EG 95-501M PA EverGreen, white	5 years	60µ	Matt	Perm	Clear	PA	B-s1, d0		✓	✓	137.2
IP EG 95-501M HT EverGreen, white	5 years	60µ	Matt	Perm	Clear	HT	B-s1, d0		✓	✓	137.2
IP EG 95-501M HT PA EverGreen, wh	5 years	60µ	Matt	Perm	Clear	HT / PA	B-s1, d0		✓	✓	137.2
IP EG 95-502 EverGreen, clear	5 years	60µ	Gloss	Perm	Clear		B-s1, d0		✓	✓	137.2
IP EG 95-502 HT EverGreen, clear	5 years	60µ	Gloss	Perm	Clear	HT	B-s1, d0		✓	✓	137.2

PVC-free Laminate

IP EG 95-502 EverGreen, clear	5 years	60µ	Gloss	Perm	Clear		B-s1, d0		✓	✓	137.2
-------------------------------	---------	-----	-------	------	-------	--	----------	--	---	---	-------

Speciality Print Films

IP 2570 Photoluminescent	5 years	270µ	Satin	Perm	Clear		B1	✓	✓		100
IP 2574 Reflective Film	5 years	110µ		Perm	Clear			✓	✓	✓	123

Perforated Window Films

IP 2701P PWF Film 60/40	4 years	140µ	Gloss	Perm	Black			✓			100 / 137.2 / 152.4
IP 2703 PWF Film 50/50	4 years	140µ	Gloss	Perm	Black			✓			137.2 / 152.4
IP 2706 PWF Film 60/40	2 years	150µ	Gloss	Perm	Black			✓			137.2 / 152.4
IP 2707 PWF, Clean Image 60/40	3 years	140µ	Gloss	Perm	Black		B1	✓	✓	✓	137.2

Perforated Window Film Laminates

IP 2830-100 PWF Laminate	8 years	70µ	Gloss	Perm	UltraClear						105 / 140 / 155
IP 2593 Clear Window Film	5 years	80µ	Gloss	Semi-Perm	UltraClear		B-s1, d0	✓	✓	✓	137.2 / 152.4

Speciality and Textured Laminates

IP 2830-104 UV-Print	6 years	70µ	Gloss	Perm	Clear		B1				137.2 / 160
IP 2830-106 Stoneguard	7 years	320µ	Gloss	Perm	Clear						100
IP 2830-109 Anti-Graffiti/UV Guard	10 years	25µ	Gloss	Perm	Clear		B-s1, d0				137.2
IP 2830-111 SafeTouch	3 years	80µ	Gloss	Semi-Perm	Clear		B-s1, d0				137.2
IP 2830-200 Scratch Resistant	3 years	100µ	Matt	Perm	Clear		B1				91 / 122 / 137.2
IP 2830-205 UV-Print	6 years	70µ	Matt	Perm	Clear		B1				137.2 / 160
IP 2830-211 SafeTouch	3 years	80µ	Matt	Semi-Perm	Clear		B-s1, d0				137.2
IP 2830-220BR DecoLam	5 years	120µ	Matt	Perm	Clear		B-s1, d0				137.2
IP 2830-220LE DecoLam	5 years	100µ	Matt	Perm	Clear		B-s1, d0				137.2
IP 2830-220LI DecoLam	5 years	200µ	Matt	Perm	Clear		B-s1, d0				137.2
IP 2830-220RE DecoLam	5 years	180µ	Matt	Perm	Clear		B-s1, d0				137.2
IP 2830-220SA DecoLam	5 years	120µ	Matt	Perm	Clear		B-s1, d0				137.2
IP 2830-220WG DecoLam	5 years	120µ	Matt	Perm	Clear		B-s1, d0				137.2
IP 2840-105 PU-Stoneguard Premium	5 years	150µ	Gloss	Perm	Clear		B1				152.4
IP 2840-106 Antigraffiti	4 years	25µ	Gloss	Perm	Clear		B1				137.2 / 152.4

Durability (unprinted)	Product Specifications					Adhesive Description	FR	Ink Compatibility			Dimension Available widths (cm)
	Thickness	Weight	Color	Finish	EcoSol			UV	Latex		
Banner Frontlit											
IP 2113 Frontlit Banner	5 years	480µ	550g/m ²	White	Matt			✓	✓	✓	110 / 137.2 / 160
IP 2116 Plus Frontlit Banner	3 years	350µ	440g/m ²	White	Matt			✓	✓	✓	110 / 137.2 / 160
IP 2124 Frontlit Banner	5 years	520µ	520g/m ²	White	Matt		B1	✓	✓	✓	110 / 137.2 / 160
IP 2125 Frontlit Banner	5 years	470µ	520g/m ²	White	Satin		B1	✓	✓	✓	110 / 137.2 / 160 / 220 / 250 / 320
IP 2127 Ultra-Smooth Frontlit Banner	5 years	400µ	450g/m ²	White	Satin			✓	✓	✓	110 / 137.2 / 160
IP 2129 Frontlit Banner	5 years	410µ	450g/m ²	White	Satin		B1	✓	✓	✓	110 / 137.2 / 160 / 250 / 320
Banner Blockout											
IP 2118 Plus Blockout Banner	3 years	360µ	450g/m ²	White	Matt		B1	✓	✓	✓	110 / 137.2 / 160
IP 2121 Blockout Banner	5 years	490µ	650g/m ²	White	Matt		B1	✓	✓	✓	110 / 137.2 / 160 / 250 / 320
Mesh											
IP 2214 Mesh with Liner	3 years	410µ	300g/m ²	White	Matt		B1	✓		✓	110 / 137.2 / 160 / 185 / 220 / 250 / 320
Canvas Textile											
IP 2310 Artistic Fine Art Canvas		540µ	440g/m ²	White				✓	✓	✓	137.2
IP 2320 Artistic Canvas *		520µ	400g/m ²	White				✓	✓	✓	137.2 / 160
Wall Textile											
IP 2324PI WallTex, self adhesive		180µ		White	Matt	Perm	B-s1, d0	✓	✓	✓	106.7 / 137.2
IP 2324RE WallTex, self adhesive *		180µ		White	Matt	Rem	B-s1, d0	✓	✓	✓	106.7 / 137.2
Poster Paper											
IP 2404 Blueback Paper *		165µ	120g/m ²	White				✓	✓	✓	91.4 / 137.2 / 160
IP 2405 Poster Paper *		165µ	135g/m ²	White				✓	✓	✓	106.7 / 127 / 137.2 / 160
IP 2408 Heavy Poster Paper *		230µ	200g/m ²	White				✓	✓	✓	127 / 137.2 / 160
IP 2416 PhotoArt Satin Paper *		255µ	210g/m ²	White				✓	✓	✓	137.2
Photo Paper											
IP 2406 Plus Photogloss Paper		245µ	260g/m ²	White	Gloss			✓	✓	✓	137.2
Self Adhesive Paper											
IP 2410 Self Adhesive Paper *		165µ	130g/m ²	White		Perm		✓	✓	✓	137.2
Wall Paper											
IP 2411 Wallpaper Canvas		330µ	240g/m ²	White	Matt		B1	✓	✓	✓	106.7
IP 2412 Wallpaper Sandblast		330µ	240g/m ²	White	Matt		B1	✓	✓	✓	106.7
IP 2420 Plus ETU Wallpaper		330µ	225g/m ²	White	Semi-Matt		D-s1, d0	✓	✓	✓	106.7 / 137.2
Backlit Banner											
IP 2603 Plus Backlit Banner	3-5 years	570µ	650g/m ²	White	Satin		B1	✓	✓	✓	137.2 / 160 / 205 / 250
Backlit Film											
IP 2605 Backlit Film		215µ	175g/m ²	White	Matt		B1	✓	✓	✓	91.4 / 122 / 137.2 / 160
Backlit Paper											
IP 2607 Backlit Film *		230µ	235g/m ²	White				✓	✓	✓	137.2
IP 2608 Backlit Citylight		135µ	150g/m ²	White	Satin			✓	✓	✓	137.2
Roll-Up Display											
IP 2903 Roll-Up Display Media *		190µ	170g/m ²	White	Matt			✓	✓	✓	91.4 / 106.7 / 137.2
IP 2915 Roll-Up Display, silver back		170µ	120g/m ²	White	Matt			✓	✓	✓	91.4 / 106.7
Semi-Rigid Display											
IP 2901 Plus Display Media		280µ	350g/m ²	White	Matt		B1	✓			122 / 137.2
IP 2906 Semi-Rigid PVC		300µ	350g/m ²	White	Matt			✓	✓		106.7 / 137.2
IP 2912 Semi-Rigid Display Media *		200µ	280g/m ²	Clear	Gloss		B1	✓	✓	✓	91.4 / 137.2 / 152.4
Pop-Up Display											
IP 2910 Plus Pop-Up Display Media		450µ	635g/m ²	White	Matt		B1	✓			106.7 / 137.2
IP 2916 Pop-Up Display, silver back		290µ	405g/m ²	White	Matt			✓	✓	✓	106.7
Magnetics											
IP 2922 Magnetic Film Premium		300µ		White	Matt			✓	✓		137.2
IP 2923 Magnetic Film Premium Heavy		400µ		White	Matt			✓	✓		100
IP 2924 Ferro Film		300µ		White	Matt			✓	✓	✓	137.2

Abbreviations and acronyms:

- PA - Perfect Apply technology
- SG - SuperGlide technology
- LSE - For low surface energy substrates
- HT - High Tack adhesive
- ETU - Easy to Use low tack adhesive

* - not printable with 3rd generation latex inks when used with 300 series printer.

- - PVC Free

Product Code	Film Colour	Dimension Widths	Adhesive Features	LAB Value			CMYK Value				RGB Value			RAL	Pantone
--------------	-------------	------------------	-------------------	-----------	--	--	------------	--	--	--	-----------	--	--	-----	---------

ImagePerfect 5700 High Performance Films

5701	White	122 / 160	HT / PA	93.47	-0.78	-2.85	6	4	2	0	242	243	247	280 93 05	649U
M5701	White	122	HT / PA	93.29	0.16	-3.22	6	4	2	0	242	243	247	280 93 05	649 U
5703	Transparent	122		90.36	-1.11	4.12	9	8	14	0	237	233	223	110 90 05	N/A
M5703	Transparent	122		90.7	-1.34	4.66	9	8	14	0	237	233	223	110 90 05	N/A
5782	Cream	122		82.93	3.36	27.23	7	19	45	0	241	210	155	085 85 30	7501 C
5781	Beige	122		81.96	-1.06	17.86	11	19	49	0	232	205	147	095 80 20	4545 U
5780	Sand	122		87.4	-0.03	17.22	4	14	41	0	248	220	167	RAL 780-2	N/A
5712	Primrose	122		87.79	-3.91	80.01	2	5	98	0	252	228	5	N/A	604 C
5713	Zinc	122		N/A	N/A	N/A	0	19	100	0	253	206	0	N/A	N/A
5714	Bright Yellow	122		82.51	6.82	80.89	1	14	100	0	253	213	0	085 80 80	N/A
5715	Yellow	122	HT / PA	81.74	11.24	78.98	0	21	100	0	254	202	0	N/A	123 C
5717	Explosive Yellow	122		80.23	17.72	83.1	1	23	98	0	251	198	6	080 80 80	N/A
5716	Sunflower	122	HT / PA	76.46	19.95	76.91	0	27	100	0	252	192	0	RAL 1003	N/A
5720	Apricot	122		71.6	27.02	67.27	0	43	100	0	246	161	0	RAL 1033	7408 U
5721	Marigold	122		65.63	42.02	57.62	0	65	100	0	238	115	2	380-5	N/A
5722	Orange	122	HT / PA	62.92	48.83	55.81	0	61	100	0	240	124	0	050 60 70	N/A
5723	Tangerine	122		61.14	42.72	50.59	0	76	100	0	234	87	13	050 60 80	7578 C
5719	Imitation Gold	122		68.62	14.87	46.4	15	37	96	0	221	165	19	070 70 50	7407 C
5772	Intense Orange	122		58.64	49.04	46.21	0	76	99	1	232	88	15	410-3	1665 U
5725	Warm Red	122		52.42	53.47	38.21	1	94	100	0	226	32	19	N/A	N/A
5726	Poppy Red	122		53.33	49.55	36.63	4	93	100	0	222	41	20	430-4	7619 C
5724	Bright Red	122		50.21	53.51	37.25	15	87	100	5	199	58	23	430-5	7619 C
5774	Crimson	122		47.82	48.09	33.29	0	96	97	16	200	25	19	N/A	N/A
5728	Flame Red	122		47.22	49.82	33.13	12	99	100	3	206	25	23	N/A	N/A
5727	Medium Red	122	HT / PA	47.92	52.7	33.62	12	99	100	2	207	25	23	030 50 60	2033 C
5729	Tomato	122		47.08	51.04	31.25	11	100	100	2	207	20	23	N/A	N/A
5738	Red	122		44.97	46.56	28.23	24	90	100	18	167	48	23	RAL 440-3	N/A
5732	Carmine Red	122	HT / PA	41.06	48.1	25.33	19	100	100	12	180	24	23	RAL 3031	1807 C
5730	Cherry	122	HT / PA	42.4	48.35	25.35	17	100	100	9	188	23	23	RAL 3031	1807 C
5731	Vivid Red	122		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
5733	Scarlet	122		47.71	53.83	27.82	10	100	95	2	209	18	29	RAL 3018	2033 C
5735	Ruby	122		36.04	28.73	13.24	33	90	94	45	118	38	20	020 40 30	499 C
5734	Burgundy	122		33.42	22.34	5.87	33	97	75	44	119	26	36	RAL 340-4	N/A
5771	Pink	122		71.72	38.41	-8.03	0	59	10	0	240	138	182	350 70 35	673 U
5776	Cyclamen	122		46.93	51.16	1.88	18	100	47	2	199	18	84	360 50 50	7433 C
5773	Lavender	122		58.03	22.22	-29.4	43	60	0	0	161	118	178	310 60 35	2577 U
5779	Violet	122		39.68	22.4	-34.4	85	97	8	1	81	43	127	300 40 40	7677 C
5744	Skanska Blue	122		39.77	-0.15	-16.6	83	73	39	26	63	66	97	280 40 15	2376 C
5751	Midnight	122		27.49	1.02	5.18	88	78	54	69	29	31	43	320 30 05	N/A
5775	Indigo Blue	122		27.11	3.21	-12.8	98	78	0	71	11	64	25	290 30 15	2379 C














Product Code	Film Colour	Dimension Widths	Adhesive Features	LAB Value			CMYK Value				RGB Value			RAL	Pantone
--------------	-------------	------------------	-------------------	-----------	--	--	------------	--	--	--	-----------	--	--	-----	---------

ImagePerfect 5700 High Performance Films

5752	Navy	122		28.91	-0.41	-14.3	100	88	41	56	23	31	59	260 30 15	2379 C
5761	Scandinavia Blue	122	HT / PA	29.59	2.04	-19.4	100	91	37	48	28	33	68	270 30 20	2378 C
5750	Cobalt	122		29.29	4.37	-17.2	100	91	37	43	29	36	72	280 30 20	2767 U
5745	Stratos Blue	122		31.3	12.64	-32.3	100	94	28	26	37	40	92	290 30 35	N/A
5759	Mid Blue	122		31.97	7.94	-31.3	100	93	30	26	35	42	91	290 30 30	2111 C
5757	King Blue	122		32.93	6.93	-33.7	100	93	27	21	37	43	97	280 30 35	2147 U
5756	Royal Blue	122		34.77	9.17	-35.5	100	92	27	16	38	46	102	N/A	280 U
5760	Deep Blue	122		32.3	5.8	-29.7	100	92	31	26	35	42	91	280 30 30	281 U
5764	Denim Blue	122		31.56	3.19	-26.8	100	93	31	32	34	39	85	280 30 25	2758 U
5749	Ultramarine	122	HT / PA	33.42	5.47	-33.9	100	92	24	14	38	47	106	280 30 35	2147 U
5755	Atlantic Blue	122		35.19	5.58	-37.5	100	92	24	14	38	47	106	N/A	287 U
5747	Reflex Blue	122		39.09	7.78	-42.3	100	86	5	0	32	57	138	280 40 45	2388 U
5746	Vivid Blue	122		41.47	11.79	-46.8	96	83	0	0	43	63	146	N/A	7455 C
5748	Cosmos	122	HT / PA	39.31	-2.54	-38.4	100	83	9	1	32	62	137	270 40 40	N/A
5743	Marina	122		44.51	-6.84	-42.2	95	71	0	0	20	79	158	N/A	2383 C
5739	Dynamic Blue	122	HT / PA	48	-12.9	-40.7	96	29	1	13	0	120	183	RAL 5015	N/A
5741	Ocean	122	HT / PA	53	-20.4	-36.9	86	46	3	0	11	118	185	N/A	640 U
5740	Olympic Blue	122		57.92	-21.9	-37.9	80	35	0	0	33	136	201	N/A	2393 U
5742	Pacific	122		53.72	-12.4	-33.9	88	54	12	1	23	105	165	RAL 5012	7461 U
5736	Light Blue	122		68.81	-18.4	-25.8	74	14	5	0	14	167	217	240 70 30	7702 U
5737	Sky	122		63.03	-31.1	-24.8	77	21	12	0	21	156	201	220 60 40	2200 C
5767	Turquoise	122		58.59	-37.8	-15.9	82	25	30	1	23	144	167	200 60 40	N/A
5769	Aegean	122		49.81	-39	-12.5	87	38	41	8	1	118	135	200 50 40	N/A
5768	Light Aqua	122		59.07	-42.5	-6.5	81	20	41	1	19	150	154	190 60 40	326 U
5753	Peppermint	122		78.27	-33.6	2.21	48	6	42	0	147	195	166	180 80 30	338 C
5754	Lime	122		73.33	-41.1	53.97	54	0	98	0	135	189	43	N/A	N/A
5758	Grass	122		59.28	-45	41.45	79	8	100	1	42	158	55	140 60 60	2424 U
5770	Tropical Green	122		51.78	-46.6	25.65	81	0	86	18	25	145	72	150 50 50	2426 U
5762	Cactus	122		53.31	-50	15.53	86	20	83	6	6	136	82	N/A	N/A
5763	Kelly Green	122		46.35	-45.8	14.61	89	29	91	18	6	115	63	RAL 6024	2418 U
5765	Forest Green	122		34.98	-24.8	5.58	90	42	87	46	19	77	46	170 40 25	554 C
5766	Dark Green	122		35.32	-13.3	0.15	81	50	73	52	41	69	54	N/A	5477 C
5794	Chocolate	122		30.91	5.04	6.2	48	72	81	65	77	46	27	060 30 05	N/A
5710	Pearl Grey	122		79.79	-0.41	0.08	22	16	16	0	209	208	208	RAL 7047	420 C
5711	Light Grey	122		69.04	-1.36	0.54	39	30	32	0	171	170	169	000 70 00	7538 U
5704	Tele Grey	122		59.65	-0.76	-0.77	29	24	20	31	149	147	151	RAL 7042	423 C
5705	Dove Grey	122		63.18	-2.51	2.73	46	34	41	2	155	156	147	120 60 05	7538 C
5706	Real Grey	122		57.37	-2.92	-2.01	48	43	48	9	143	133	123	RAL 7046	444 U
5707	Graphite	122	HT / PA	46.22	-1.86	-0.91	65	52	51	22	96	100	102	RAL 7005	445 U

Product Code	Film Colour	Dimension Widths	Adhesive Features	LAB Value	CMYK Value	RGB Value	RAL	Pantone
--------------	-------------	------------------	-------------------	-----------	------------	-----------	-----	---------

ImagePerfect 5700 High Performance Films

	5798	Dark Grey	122	HT / PA	39.5	-0.85	-1.02	67	58	58	36	81	81	80	RAL 7012	433 U
	5709	Carbon Grey	122		32.11	-0.58	-0.67	49	40	26	78	52	54	60	RAL 7043	7540 C
	5796	Silver	122	HT / PA	75.55	-0.47	-0.53	45	36	36	1	156	154	154	000 75 00	420 U
	5786	Sparkling Silver	122		79.76	-0.38	0.46	28	23	19	25	159	157	162	RAL 7047	420 C
	5797	Gold	122	HT / PA	66.52	2.44	33.81	37	42	74	9	166	138	80	085 70 30	4515 C
	5787	Sparkling Gold	122		67.49	2.57	25.7	20	27	64	27	171	148	90	N/A	7503 C
	5793	Silver Shadow	122	HT / PA	67.01	-0.13	2.31	32	29	24	48	118	114	118	RAL 830-2	402 U
	5799	Gun Metal	122	HT / PA	49.17	-0.42	1.42	66	58	59	40	80	77	73	RAL 860-5	424 C
	5792	Light Granite	122		41.25	-0.51	2.2	62	59	69	52	76	67	54	RAL 7010	447 U
	5795	Granite	122	HT / PA	40.18	-0.15	0.87	64	60	66	53	72	64	55	000 40 00	447 U
	5789	Charcoal	122	HT / PA	39.12	-0.09	-1.27	67	58	56	36	81	81	80	000 40 00	433 U
	5708	Black	122 / 160	HT / PA	25.61	-0.05	-0.23	76	68	65	86	22	22	18	RAL 7016	447 C
	M5708	Black	122	HT / PA	26.7	-0.05	-0.79	73	68	65	86	22	22	18	000 25 00	N/A

* please note that the colour values in this chart are guidance only.

Product Specifications:

- ✓ 70µ face film thickness
- ✓ Permanent solvent-based adhesive, clear
- ✓ White, black and clear also in matt finish
- ✓ Indicates colours available with High Tack adhesive
- ✓ Indicates colours available with Perfect apply technology
- ✓ Flame retardancy B-s1,d0
- ✓ Contrast liner on the white options to facilitate weeding
- ✓ Durability: 8 years (white and black), 6 years (clear, colours), 5 years (metallics)
- ✓ Colour match available (please reach out to your responsible representative for information on colour matching)

Product Code	Film Colour	Dimension Widths	Adhesive Features	LAB Value				CMYK Value				RGB Value			RAL	Pantone
--------------	-------------	------------------	-------------------	-----------	--	--	--	------------	--	--	--	-----------	--	--	-----	---------

ImagePerfect 9500 EverGreen Films

	5901	White	122	98	0	-1	4	2	2	0	248	248	249	N/A	N/A
	5901M	White Matt	122	93	0	-1	10	7	7	0	234	234	234	N/A	N/A
	5908	Black	122	5	-1	2	75	68	67	90	18	16	11	N/A	N/A
	5908M	Black Matt	122	9	0	2	74	68	65	84	28	25	22	N/A	N/A
	9590	Pearl	122	52	1	-1	55	46	44	10	126	124	125	N/A	N/A
	9591	Nimbus	122	43	1	-1	61	53	49	21	105	102	104	N/A	N/A
	9592	Carbon	122	36	-2	0	68	55	56	34	81	84	83	N/A	N/A
	9596	Silver	122	84	-1	-1	21	15	16	0	210	211	211	N/A	N/A
	9511	Lemon	122	89	-1	87	3	9	99	0	254	221	0	N/A	N/A
	9512	Mango	122	87	3	85	2	14	95	0	254	214	0	N/A	N/A
	9520	Orange	122	56	57	58	2	79	95	0	231	80	29	N/A	N/A
	9530	Tomato	122	46	68	49	9	99	94	1	213	22	30	N/A	N/A
	9531	Strawberry	122	43	63	40	16	100	88	6	195	24	38	N/A	N/A
	9532	Cherry	122	30	45	32	29	99	95	35	135	26	23	N/A	N/A
	9540	Sky	122	57	-17	-41	77	27	1	0	21	148	209	N/A	N/A
	9541	Azure	122	45	-9	-43	88	49	7	0	0	113	177	N/A	N/A
	9542	Ocean	122	28	12	-47	98	83	8	1	37	62	138	N/A	N/A
	9543	Midnight	122	22	9	-34	99	90	28	16	39	49	103	N/A	N/A
	9550	Lime	122	62	-48	47	74	2	100	0	64	169	53	N/A	N/A
	9551	Grass	122	54	-50	37	83	13	100	2	13	148	57	N/A	N/A
	9552	Apple	122	43	-42	27	89	27	100	15	0	118	52	N/A	N/A
	9553	Forest	122	47	-38	9	86	26	72	11	0	126	92	N/A	N/A

* please note that the colour values in this chart are guidance only.

Product Specifications:

- ✓ 70µ face film thickness
- ✓ Advanced acrylic
- ✓ White and black also in matt finish
- ✓ Flame retardancy B-s1,d0
- ✓ Durability: 5 years
- ✓ Liner made with 100% recycled FSC base paper with recycled LDPE coating
- ✓ 100% PVC free film
- ✓ Biodegradable bags
- ✓ Core holders made from FSC recycled cardboard and recycled LDPE
- ✓ Box made from unbleached cardboard (FSC-certified pulp / no plastic tape)
- ✓ Local producers with raw materials from Europe, minimising our carbon footprint
- ✓ Colour match available (please reach out to your responsible representative for information on colour matching)

Whatever the application **think** **ImagePerfect™**




E I K O N

a Spandex Group Company

38 Port Royal Avenue, Lune Industrial Estate, Lancaster, LA1 5QP, UK

info@eikonmaterials.com | + 44 (0) 1524 599500 | www.eikonmaterials.com | www.ImagePerfect.com



Technical specifications are subject to change without prior notice. All trademarks mentioned are property of their respective owners. Information on physical and chemical characteristics is based upon tests we believe to be reliable. The values are intended only as a source of information and are given without guarantee and do not constitute a warranty. Purchasers should independently determine, prior to use, the suitability of this material for their specific purpose.