



ImagePerfect™ Portfolio Overview



Durability (unprinted)	Film		Adhesive			Ink Compatibility			Dimension		
	Thickness	Finish	Description	Color	Features	(Eco)-Sol	UV	Latex	Available widths	Available lengths	
Automotive Print Films											
iD9 Fleet Air	8 years	2mil	Gloss	Perm	Grey	PA / SG	✓	✓	✓	54" / 63"	50 yards
Automotive Laminates											
iD9 Fleet Lam Gloss	8 years	2mil	Gloss	Perm	Clear					54" / 63"	50 yards
iD9 Fleet Lam Matte	8 years	2mil	Matt	Perm	Clear					54" / 63"	50 yards
Long-Term Polymeric Print Films											
iD7 Gloss Air	8 years	3mil	Gloss	Perm	Grey	PA	✓	✓	✓	54" / 63"	50 yards
Long-Term Polymeric Laminates											
iD7 Lam Gloss	8 years	3mil	Gloss	Perm	Clear					54" / 63"	50 yards
iD7 Lam Matte	8 years	3mil	Matt	Perm	Clear					54" / 63"	50 yards
Performance Polymeric Print Films											
iD5 Gloss Air	5 years	3.2mil	Gloss	Perm	Grey	PA	✓	✓	✓	54" / 60"	50 yards
iD5 Matte Air	5 years	3.2mil	Matt	Perm	Grey	PA	✓	✓	✓	54" / 60"	50 yards
Performance Polymeric Laminates											
iD5 Lam Gloss	5 years	3.2mil	Gloss	Perm	Clear					54" / 60"	50 yards
iD5 Lam Matte	5 years	3.2mil	Matt	Perm	Clear					54" / 60"	50 yards
Floor Application Print Films											
iD1 StreetApp	1 year	6mil	Matt	Rem	Clear		✓	✓	✓	54"	50 yards
Floor Application Laminates											
iD1 Lam Floor	1 year	7mil	Matt	Perm	Clear					54"	50 yards
Glass Application Print Films											
iD5 OptiClear	5 years	3mil	Gloss	Semi-Perm	Clear		✓	✓	✓	54" / 60"	50 yards
iD5 OptiClear	5 years	3mil	Gloss	Rem	Clear		✓	✓	✓	54" / 60"	50 yards
iD3 Opal Frost	3 years	3.2mil	Gloss	Perm	Clear		✓	✓	✓	48"	50 yards
iD3 Opal Frost Air	3 years	3.2mil	Gloss	Perm	Clear		✓	✓	✓	48"	50 yards
iD7 Satin Crystal	7 years	3mil	Gloss	Perm	Clear		✓	✓	✓	48"	50 yards
iD7 Satin Crystal Air	7 years	3mil	Gloss	Perm	Clear		✓	✓	✓	48"	50 yards
iD7 Satin Crystal HD	7 years	3.2mil	Gloss	Perm	Clear		✓	✓	✓	48"	50 yards
iD7 Satin Crystal HD Air	7 years	3.2mil	Gloss	Perm	Clear		✓	✓	✓	48"	50 yards
iD7 Light Silver Frost	7 years	3.2mil	Gloss	Perm	Clear		✓	✓	✓	48"	50 yards
iD7 Light Silver Frost Air	7 years	3.2mil	Gloss	Perm	Clear		✓	✓	✓	48"	50 yards
iD7 Silver Frost	7 years	3.2mil	Gloss	Perm	Clear		✓	✓	✓	48"	50 yards
iD7 Silver Frost Air	7 years	3.2mil	Gloss	Perm	Clear		✓	✓	✓	48"	50 yards
HighTack Print Films											
iD5 HiTack Matte Air	5 years	3.5mil	Matt	Perm	Clear	HT / PA	✓	✓	✓	54" / 60"	50 yards
PVC-free Print Films											
eD5 EverGreen Gloss Air	5 years	2.3mil	Gloss	Perm	Clear	PA		✓	✓	54"	50 yards
eD5 EverGreen Lam Gloss	5 years	2.3mil	Gloss	Perm	Clear			✓	✓	54"	50 yards
PVC-free Laminate											
eD5 EverGreen Lam Gloss	5 years	2.3mil	Gloss	Perm	Clear			✓	✓	54"	50 yards
Speciality Print Films											
iD7 Reflect Air	7 years	3mil		Perm	Clear	PA	✓	✓	✓	48"	50 yards
Perforated Window Films											
iD1 Perf 70/30	1 years	6mil	Gloss	Rem	Black		✓	✓	✓	54" / 60"	50 yards
iD3 Perf 70/30	3 years	6mil	Gloss	Rem	Black		✓	✓	✓	54" / 60"	50 yards
Perforated Window Film Laminates											
iD5 OptiClear	5 years	3.2mil	Gloss	Semi-Perm	Clear		✓	✓	✓	54" / 60"	50 yards
Wall Textile											
iD5 WallTex		7mil	Matt	Ren	Clear		✓	✓	✓	54"	50 yards
iD5 Wall Air Matte	5 years	6mil	Matt	Rem	Clear		✓	✓	✓	54"	50 yards

Abbreviations and acronyms:

- PA - PerfectApply technology (air-release)
- SG - SuperGlide technology (slideable and repositionable)
- HT - HighTack adhesive (for hard-to-stick and low-energy surfaces)
- FR - Product meet the standard
- - PVC Free

Whatever the application **think** **ImagePerfect™**



E I K O N

a Spandex Group Company

38 Port Royal Avenue, Lune Industrial Estate, Lancaster, LA1 5QP, UK

info@eikonmaterials.com | + 44 (0) 1524 599500 | www.eikonmaterials.com | www.ImagePerfect.com



Technical specifications are subject to change without prior notice. All trademarks mentioned are property of their respective owners. Information on physical and chemical characteristics is based upon tests we believe to be reliable. The values are intended only as a source of information and are given without guarantee and do not constitute a warranty. Purchasers should independently determine, prior to use, the suitability of this material for their specific purpose.